



Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x4
<b>Engine</b>		
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•	•
Displacement (cc)	2298	2298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	120@3750	120@3750
Maximum torque (Nm@rpm)	403@1500-2500	403@1500-2500
Common rail direct injection	•	•
<b>Transmission</b>		
6-speed manual	•	•
Transfer case - Dual range 4x4 with electronic 4WD selection		•
Ratio 1st (manual/automatic)	4.685	4.685/4.886
Ratio 2nd (manual/automatic)	2.478	2.478/3.169
Ratio 3rd (manual/automatic)	1.623	1.623/2.027
Ratio 4th (manual/automatic)	1.207	1.207/1.411
Ratio 5th (manual/automatic)	1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808	0.808/0.864
Ratio 7th (automatic)		0.774
Ratio Reverse (manual/automatic)	4.709	4.709/4.041
Final drive (manual/automatic)	3.538	3.538/3.357
Transfer ratio - low		2.717
Transfer ratio - high		1.000
<b>Dimensions</b>		
Overall length (mm)	5120	5120
Overall width (excluding mirrors) (mm)	1790	1790
Overall height (mm)	1755	1775
Wheelbase (mm)	3150	3150
Track front/rear (mm)	1550/1550	1550/1550
Min. turning circle (kerb to kerb) (m)	11.8	11.8
Ground clearance unladen (mm)	206	221
Overhang - front (mm)	870	870
Overhang - rear (mm)	1100	1100
Approach angle (degrees)	31.6	32.4
Departure angle (degrees)	23.3	24.3
Ramp breakover angle (degrees)	21.5	22.8
<b>Weights</b>		
Gross Vehicle Mass (GVM <sup>1</sup> ) (kg)	2910	2910
Gross Combined Mass (GCM <sup>2</sup> ) (kg)	5910	5910
Kerb mass <sup>3</sup> manual/automatic (kg)	1554	1632/1638
Payload <sup>4</sup> manual/automatic (kg)	1356	1278/1272
Gross front axle (kg)	1320	1320
Gross rear axle (kg)	1750	1750
<b>Towing Capacity<sup>5</sup></b>		
Trailer without brakes (kg)	750	750
Trailer with brakes (kg)	3500	3500
Towball download (kg)	See table	See table
<b>Fuel</b>		
Recommended fuel type (minimum)	Diesel	Diesel
Fuel tank capacity (litres)	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) <sup>6</sup>	6.4	6.6/7.1
CO <sub>2</sub> emissions (manual/automatic) (g/km) <sup>7</sup>	169	174/187
<b>Mechanical</b>		
Front brakes - ventilated discs	•	•
Rear brakes - drum	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•
Rear suspension - Leaf spring	•	•
Power steering	•	•



Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x4
<b>Wheels/Tyres</b>		
16" steel wheels with 205/R16C tyres	•	•
Full-size spare wheel (steel)	•	•
<b>Interior</b>		
Seating capacity	2	2
6-way driver seat with manual slide/recline/height adjustment	•	•
4-way front passenger seat with manual slide & recline	•	•
Front Headrests with up/down adjustment	•	•
Seat trim	Cloth	Cloth
Single CD player, AM/FM radio, AUX & USB/iPod <sup>®</sup> connectivity	•	•
Steering wheel audio controls	•	•
Speakers	4	4
Bluetooth <sup>®</sup> handsfree phone system via steering wheel controls	•	•
Bluetooth <sup>®</sup> audio streaming	•	•
Cruise control	•	•
Manual tilt adjustable steering column	•	•
Air-conditioning	•	•
Remote keyless entry	•	•
Urethane steering wheel & shift lever	•	•
Front Chrome interior door handles	•	•
Front passenger assist grips (2)	•	•
Centre console storage	•	•
Glove compartment	•	•
Dashboard upper storage tray	•	•
Front Door storage pockets	•	•
Front row Cup holders (4) & bottle holders (2)	•	•
Driver & front passenger sun visors	•	•
Driver & front passenger illuminated vanity mirrors	•	•
Sunglasses holder (overhead console)	•	•
Power windows with driver auto up/down	•	•
Day/night rear view mirror with manual anti-dazzle	•	•
Front map lights (2)	•	•
Door operated interior lights	•	•
Rear window demister	•	•
12 volt power socket (3)	•	•
Vinyl floor covering	•	•
<b>Instrumentation</b>		
Speedometer, tachometer, odometer, trip meter	•	•
Instant to average fuel economy, distance to empty	•	•
Digital clock	•	•
Ambient temperature display	•	•
<b>Safety/Security</b>		
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•
Traction Control System (TCS)	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSL)	•	•
Active Brake Limited Slip (ABLS)	•	•
Brake Assist (BA)	•	•
Driver & front passenger front-impact SRS airbags	•	•
Driver & front passenger side-impact SRS airbags	•	•
Driver knee airbag	•	•
SRS curtain airbags	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•
Driver & front passenger seatbelt height adjustment	•	•
Driver & front passenger seatbelt warning	•	•
Daytime running lights	•	•
Automatic on/off headlights - twilight detection	•	•
LED high mounted stop light	•	•



Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab RX Cab Chassis 4x4
Collapsible steering column	•	•
Door side intrusion bars	•	•
Front variable intermittent windscreen wipers	•	•
Door ajar warning light (all doors)	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•
Vehicle Security System (VSS) alarm	•	•
<b>Exterior</b>		
Halogen headlights	•	•
Antenna	•	•
Chrome door mirrors	•	•
Door mirrors with power adjustment & manual folding	•	•
Front bumper body colour	•	•
Chrome door handles	•	•
V-Motion chrome front grille	•	•
Front mudflaps	•	•
Front towing hook	•	•
Lockable fuel lid	•	•
<b>Colours</b>		
Aspen White (QM1)	•	•
Sheer Silver (K23)	•	•
Granite (K21)	•	•
<b>myNissan Ownership</b>		
3 year/100,000 kms Warranty**	•	•
3 year 24-Hour Roadside Assistance Program ††	•	•

Opt

Optional



Not available



Standard

#### Diesel

Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.



Innovation that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

- .. GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- ^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sup>2</sup> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.
- † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
- ^ iPod is a registered trade mark of Apple Inc.
- \* Gross Combined Mass with braked trailer.
- \*\* New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.co.nz for more details.
- \*\* Terms and conditions apply, please visit nissan.co.nz/roadsideassistance.



Interior Cloth seat trim.

**my nissan**  
our comprehensive ownership experience



**FINANCIAL SERVICES**

For more information please visit [nissan.co.nz](http://nissan.co.nz) or visit your nearest Nissan Dealer.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. Nissan Motor Co (New Zealand) Pty. Ltd. may at its discretion at anytime and without prior notice discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Printed February 2018. NAV0956



Follow us  
@nissan\_nz



Like us  
Nissan



Check out  
NZNissan



Innovation  
that excites

# NISSAN NAVARA KING CAB SPECIFICATIONS

## Specifications

	King Cab RX Cab Chassis 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Engine</b>			
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC		•	•
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•		
Displacement (cc)	2298	2298	2298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	120@3750	140@3750	140@3750
Maximum torque (Nm@rpm)	403@1500-2500	450@1500-2500	450@1500-2500
Common rail direct injection	•	•	•
<b>Transmission</b>			
6-speed manual	•		
7-speed automatic with manual mode		•	•
Transfer case - Dual range 4x4 with electronic 4WD selection	•	•	•
Ratio 1st (manual/automatic)	4.685	4.685/4.886	4.685/4.886
Ratio 2nd (manual/automatic)	2.478	2.478/3.169	2.478/3.169
Ratio 3rd (manual/automatic)	1.623	1.623/2.027	1.623/2.027
Ratio 4th (manual/automatic)	1.207	1.207/1.411	1.207/1.411
Ratio 5th (manual/automatic)	1.000	1.000/1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808	0.808/0.864	0.808/0.864
Ratio 7th (automatic)		0.774	0.774
Ratio Reverse (manual/automatic)	4.709	4.709/4.041	4.709/4.041
Final drive (manual/automatic)	3.538	3.692/3.357	3.692/3.357
Transfer ratio - low	2.717	2.717	2.717
Transfer ratio - high	1.000	1.000	1.000
<b>Dimensions</b>			
Overall length (mm)	5120	5255	5255
Overall width (excluding mirrors) (mm)	1790	1850	1850
Overall height (mm)	1780	1780	1780
Wheelbase (mm)	3150	3150	3150
Track front/rear (mm)	1550/1550	1570/1570	1570/1570
Min. turning circle (kerb to kerb) (m)	11.8	12.4	12.4
Ground clearance unladen (mm)	217	229	230
Overhang - front (mm)	870	870	870
Overhang - rear (mm)	1100	1235	1235
Approach angle (degrees)	32.5	32.2	32.4
Departure angle (degrees)	25.9	26.5	26.7
Ramp breakover angle (degrees)	22.7	23.7	23.9
Cargo Bed - length floor (mm)		1788	1788
Cargo Bed - length top (mm)		1750	1750
Cargo Bed - width floor (mm)		1560	1560
Cargo Bed - width top (mm)		1490	1490
Cargo Bed - width between wheel arches (mm)		1130	1130
Cargo Bed - tailgate opening width (mm)		1360	1360
Cargo Bed - height (mm)		474	474
<b>Weights</b>			
Gross Vehicle Mass (GVM**) (kg)	2910	2910	2910
Gross Combined Mass (GCM*) (kg)	5910	5910	5910
+6kg with leather accented <sup>1</sup> seat option pack on ST-X AT			
Kerb mass <sup>3</sup> manual/automatic (kg)	1732	1920/1923	1945/1949
-6kg with leather accented <sup>1</sup> seat option pack on ST-X AT			
Payload <sup>4</sup> manual/automatic (kg)	1178	990/987	965/961
Gross front axle (kg)	1320	1320	1320
Gross rear axle (kg)	1750	1750	1700
<b>Towing Capacity<sup>5</sup></b>			
Trailer without brakes (kg)	750	750	750
Trailer with brakes (kg)	3500	3500	3500
Towball download (kg)	See table	See table	See table
<b>Fuel</b>			
Recommended fuel type	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) <sup>6</sup>	6.6	6.5/7.0	6.5/7.0
CO <sub>2</sub> emissions (manual/automatic) (g/km) <sup>6</sup>	174	172/186	172/186



Innovation  
that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications

	King Cab RX Cab Chassis 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Mechanical</b>			
Front brakes - ventilated discs	•	•	•
Rear brakes - drum	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•
Rear suspension - Leaf spring	•	•	•
Power steering	•	•	•
<b>Wheels/Tyres</b>			
16" steel wheels with 205/R16C tyres	•		
16" alloy wheels with 255/70R16 tyres		•	
18" alloy wheels with 255/60R18 tyres			•
Full-size spare wheel (steel)	•	•	
Full-size spare wheel (alloy)			•
<b>Interior</b>			
Seating capacity	4	4	4
6-way driver seat with manual slide/recline/height adjustment	•	•	•
8-way driver seat with power slide/recline/height adjustment & power lumbar support			•
Heated front seats			•
Leather accented* seat trim			•
4-way front passenger seat with manual slide & recline	•	•	•
Front headrests with up/down adjustment	•	•	•
Second row headrests (2)	•	•	•
Cloth seat trim	•	•	•
Flip up rear seats	•	•	•
Single CD player, AM/FM radio, AUX & USB/iPod* connectivity	•	•	•
Steering wheel audio controls	•	•	•
Satellite Navigation with 3D Mapping and 7" integrated colour display with touch screen		•	•
Speakers	4	4	4
Bluetooth* handsfree phone system via steering wheel controls	•	•	•
Bluetooth* audio streaming	•	•	•
Cruise control	•	•	•
Manual tilt adjustable steering column	•	•	•
Air-conditioning	•	•	
Air-conditioning with dual zone climate control			•
Rear air vents in centre console	•	•	•
Remote keyless entry	•	•	
Intelligent Key™ with remote keyless entry			•
Push button engine start			•
Urethane steering wheel & shift lever	•		
Leather accented* steering wheel		•	•
Front chrome interior door handles	•	•	•
Front passenger assist grips (2)	•	•	•
Centre console storage	•	•	•
Glove compartment	•	•	•
Dashboard upper storage tray	•	•	•
Front door storage pockets	•	•	•
Rear door storage pockets	•	•	•
Front row cup holders (4) & bottle holders (2)	•	•	•
Driver and front passenger seat back pockets			•
Driver & front passenger sun visors with illuminated vanity mirrors	•	•	•
Sunglasses holder (overhead console)	•	•	•
Power windows with driver auto up/down button	•	•	•
Day/night rear view mirror with manual anti-dazzle	•		
Day/night rear view mirror with electric anti-dazzle & compass		•	•
Front map lights (2)	•	•	•
Interior room light	•	•	•
Door operated interior lights	•	•	•
Illuminated ignition switch			•
Rear window demister	•	•	•
12 volt power socket (3)	•	•	•
Floor carpet - front and rear	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications

	King Cab RX Cab Chassis 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Instrumentation</b>			
Speedometer, tachometer, odometer, trip meter	•	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)		•	•
Instant to average fuel economy, distance to empty	•		
Digital clock	•	•	•
Ambient temperature display	•	•	•
<b>Safety/Security</b>			
Reversing camera - in audio display		•	•
Reversing sensors			•
Around View® Monitor			•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•
Traction Control System (TCS)	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSLSD)	•	•	•
Active Brake Limited Slip (ABLS)	•	•	•
Brake Assist (BA)	•	•	•
Hill Start Assist (HSA)			•
Hill Descent Control (HDC)			•
Electronic rear differential lock		•	•
Driver & front passenger front-impact SRS airbags	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•
Driver knee airbag	•	•	•
Front to rear SRS curtain airbags	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•
Driver & front passenger seatbelt warning	•	•	•
Second row seatbelt alert	•	•	•
Daytime running lights	•		
LED signature daytime running lights		•	•
Automatic on/off headlights - twilight detection	•	•	•
LED high mounted stop light	•	•	•
Collapsible steering column	•	•	•
Door side intrusion bars	•	•	•
Front variable intermittent windscreen wipers	•	•	•
Door ajar warning light (all doors)	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•
Vehicle Security System (VSS) alarm	•	•	•
<b>Exterior</b>			
Privacy glass (second row & rear window)	•	•	•
Halogen headlights	•		
LED projector headlights		•	•
Front fog lights		•	•
2 channel Utili-Track™ system			•
Tie-down points inside bed (4)		•	
12V outlet inside bed		•	•
Side steps		•	•
Antenna	•	•	•
Chrome door mirrors	•	•	•
Door mirrors with power adjustment & manual folding	•		
Heated door mirrors with power adjustment & power folding & integrated LED indicator lights		•	•
Front bumper body colour	•	•	•
Chrome rear bumper with step		•	•
Chrome door handles	•	•	•
V-Motion chrome front grille	•	•	•
Rear power sliding window	•	•	•
Rear spoiler with protective finisher		•	•
Front mudflaps	•		
Front and rear mudflaps		•	•
Front towing hook	•	•	•
Lockable fuel lid	•		
Electromagnetic lockable fuel lid		•	•
Manual lockable rear tailgate (key)		•	•



Innovation that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications


	King Cab RX Cab Chassis 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Colours</b>			
Aspen White (QM1)	•	•	
Tuscan Red (AX6)	•	•	•
Panther Black (G42)	•	•	•
Sheer Silver (K23)	•	•	•
Valencia Blue (RAA)	•	•	•
Hornet Gold (EAU)		•	•
Granite (K21)	•	•	•
<b>myNissan Ownership</b>			
3 year/100,000 kms Warranty**	•	•	•
3 year 24-Hour Roadside Assistance Program ††	•	•	•

Opt Optional  Not available  Standard

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

\*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.  
 - Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.  
 ^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.  
 \* Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sup>2</sup> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.  
 † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.  
 ^ iPod is a registered trade mark of Apple Inc.  
 † Gross Combined Mass with braked trailer.  
 † Leather accented features and upholstery may contain synthetic material.  
 †† New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.co.nz for more details.  
 †† Terms and conditions apply, please visit nissan.co.nz/roadsideassistance.



Interior Cloth seat trim.



Interior Leather accented seat trim<sup>†</sup> (Optional on ST-X).

**my nissan**  
our comprehensive ownership experience



**FINANCIAL SERVICES**

For more information please visit [nissan.co.nz](http://nissan.co.nz) or visit your nearest Nissan Dealer.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. Nissan Motor Co (New Zealand) Pty. Ltd. may at its discretion at anytime and without prior notice discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Printed February 2018. NAV0951



Follow us @nissan\_nz



Like us Nissan



Check out NZNissan







Innovation  
that excites

# NISSAN NAVARA

## DOUBLE CAB SPECIFICATIONS

### Specifications

	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Pick Up 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
<b>Fuel</b>							
Recommended fuel type (minimum)	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80	80	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) <sup>90</sup>	6.4/6.9	6.3/6.8	6.3/6.8	7.1	6.5/7.0	6.5/7.0	6.5/7.0
CO <sub>2</sub> emissions (manual/automatic) (g/km) <sup>90</sup>	169/183	166/179	166/179	187	172/186	172/186	172/186
<b>Mechanical</b>							
Front brakes - ventilated discs	•	•	•	•	•	•	•
Rear brakes - drum	•	•	•	•	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•	•	•	•	•
Rear suspension - 5-link with shock absorber	•	•	•	•	•	•	•
Power steering	•	•	•	•	•	•	•
<b>Wheels/Tyres</b>							
16" steel wheels with 205/R16C tyres	•			•			
16" steel wheels with 255/70R16 tyres					•		
16" alloy wheels with 255/70R16 tyres		•				•	
18" alloy wheels with 255/60R18 tyres			•				•
Full-size spare wheel (steel)	•	•		•	•	•	
Full-size spare wheel (alloy)			•				•
<b>Interior</b>							
Seating capacity	5	5	5	5	5	5	5
6-way driver seat with manual slide/recline/height adjustment	•	•	•	•	•	•	•
8-way driver seat with power slide/recline/height adjustment & power lumbar support			•				•
Heated front seats			•				•
Leather accented <sup>1</sup> seat trim			•				•
4-way front passenger seat with manual slide & recline	•	•	•	•	•	•	•
Front headrests with up/down adjustment	•	•	•	•	•	•	•
Second row headrests (2)	•	•	•	•	•	•	•
Cloth seat trim	•	•	•	•	•	•	•
Flip up rear seats	•	•	•	•	•	•	•
Single CD player, AM/FM radio, AUX & USB/iPod <sup>2</sup> connectivity	•	•	•	•	•	•	•
Steering wheel audio controls	•	•	•	•	•	•	•
Colour 5" display audio					•		
Satellite Navigation with 3D Mapping and 7" integrated colour display with touch screen		•	•			•	•
Speakers	6	6	6	6	6	6	6
Bluetooth <sup>3</sup> handsfree phone system via steering wheel controls	•	•	•	•	•	•	•
Bluetooth <sup>3</sup> audio streaming	•	•	•	•	•	•	•
Cruise control	•	•	•	•	•	•	•
Manual tilt adjustable steering column	•	•	•	•	•	•	•
Air-conditioning	•	•		•	•	•	
Air-conditioning with dual zone climate control			•				•
Rear air vents in centre console	•	•	•	•	•	•	•
Remote keyless entry	•	•		•	•	•	
Intelligent Key™ with remote keyless entry			•				•
Push button engine start			•				•
Urethane steering wheel & shift lever	•			•	•		
Leather accented <sup>3</sup> steering wheel		•	•			•	•
Chrome interior door handles	•	•	•	•	•	•	•
Front passenger assist grips (2)	•	•	•	•	•	•	•
Second row passenger assist grips (2)	•	•	•	•	•	•	•
Centre console storage	•	•	•	•	•	•	•
Glove compartment	•	•	•	•	•	•	•
Dashboard upper storage tray	•	•	•	•	•	•	•
Front door storage pockets	•	•	•	•	•	•	•
Rear door storage pockets	•	•	•	•	•	•	•
Front row cup holders (4) & bottle holders (2)	•	•	•	•	•	•	•
Second row bottle holders (2)	•	•	•	•	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## DOUBLE CAB SPECIFICATIONS

### Specifications

	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Pick Up 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
Driver and front passenger seat back pockets			•				•
Driver & front passenger sun visors with illuminated vanity mirrors	•	•	•	•	•	•	•
Sunglasses holder (overhead console)	•	•	•	•	•	•	•
Power windows with driver auto up/down button	•	•	•	•	•	•	•
Day/night rear view mirror with electric anti-dazzle & compass	(w/o compass)	•	•	(w/o compass)	•	•	•
Front map lights (2)	•	•	•	•	•	•	•
Interior room light	•	•	•	•	•	•	•
Door operated interior lights	•	•	•	•	•	•	•
Illuminated ignition switch			•				•
Rear window demister	•	•	•	•	•	•	•
12 volt power socket (3)	•	•	•	•	•	•	•
Vinyl floor coverings - front and rear	•			•	•		
Floor carpet - front and rear		•	•			•	•

### Instrumentation

Speedometer, tachometer, odometer, trip meter	•	•	•	•	•	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)		•	•		•	•	•
Instant to average fuel economy, distance to empty	•			•			
Digital clock	•	•	•	•	•	•	•
Ambient temperature display	•	•	•	•	•	•	•

### Safety/Security

Reversing camera - in rear view mirror	•			•			
Reversing camera - in audio display		•	•		•	•	•
Around View® Monitor			•				•
Reversing sensors			•				•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLS)	•	•	•	•	•	•	•
Active Brake Limited Slip (ABLS)				•	•	•	•
Brake Assist (BA)	•	•	•	•	•	•	•
Hill Start Assist (HSA)							•
Hill Descent Control (HDC)							•
Electronic rear differential lock					•	•	•
Driver & front passenger front-impact SRS airbags	•	•	•	•	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•	•	•	•	•
Driver knee airbag	•	•	•	•	•	•	•
Front to rear SRS curtain airbags	•	•	•	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•	•	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•	•	•	•	•
Driver & front passenger seatbelt warning	•	•	•	•	•	•	•
Second row seatbelt alert	•	•	•	•	•	•	•
Second row child anchorage points (3)	•	•	•	•	•	•	•
ISOFIX (second row RH/LH)	•	•	•	•	•	•	•
Daytime running lights	•			•			
LED signature daytime running lights		•	•		•	•	•
Automatic on/off headlights - twilight detection	•	•	•	•	•	•	•
LED high mounted stop light	•	•	•	•	•	•	•
Collapsible steering column	•	•	•	•	•	•	•
Child safety rear door locks	•	•	•	•	•	•	•
Door side intrusion bars	•	•	•	•	•	•	•
Front variable intermittent windscreen wipers	•	•	•	•	•	•	•
Door ajar warning light (all doors)	•	•	•	•	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•	•	•	•
Vehicle Security System (VSS) alarm	•	•	•	•	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## DOUBLE CAB SPECIFICATIONS

### Specifications

	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Pick Up 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
<b>Exterior</b>							
Privacy glass (second row & rear window)	•	•	•	•	•	•	•
Halogen headlights	•			•			
LED projector headlights		•	•		•	•	•
Front fog lights		•	•			•	•
2 channel Utili-Track™ system			•				•
Tie-down points inside bed (4)	•	•		•	•	•	
12V outlet inside bed	•	•	•	•	•	•	•
Side steps		•	•		•	•	•
Roof rails			•				•
Antenna	•	•	•	•	•	•	•
Black door mirrors					•		
Chrome door mirrors	•	•	•	•		•	•
Door mirrors with power adjustment & manual folding	•			•	•		
Heated door mirrors with power adjustment & manual folding		•				•	
Heated door mirrors with power adjustment/folding & integrated LED indicator lights			•				•
Front bumper body colour	•	•	•	•	•	•	•
Chrome rear bumper with step	•	•	•	•	•	•	•
Black door handles					•		
Chrome door handles	•	•	•	•		•	•
V-Motion chrome front grille	•	•	•	•	•	•	•
Rear power sliding window	•	•	•	•	•	•	•
Rear spoiler with protective finisher	•	•	•	•	•	•	•
Front and rear mudflaps	•	•	•	•	•	•	•
Front towing hook	•	•	•	•	•	•	•
Electromagnetic lockable fuel lid	•	•	•	•	•	•	•
Manual lockable rear tailgate (key)	•	•	•	•	•	•	•
<b>Colours</b>							
Aspen White (QM1)	•	•	•	•	•	•	•
Tuscan Red (AX6)	•	•	•	•	•	•	•
Panther Black (G42)	•	•	•	•	•	•	•
Sheer Silver (K23)	•	•	•	•	•	•	•
Valentia Blue (RAA)	•	•	•	•	•	•	•
Hornet Gold (EAU)		•	•			•	•
Granite (K21)	•	•	•	•	•	•	•
<b>myNissan Ownership</b>							
3 year/100,000 kms Warranty**	•	•	•	•	•	•	•
3 year 24-Hour Roadside Assistance Program ††	•	•	•	•	•	•	•

Opt Optional

Not available

• Standard



Innovation that excites

# NISSAN NAVARA DOUBLE CAB SPECIFICATIONS

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

\*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.

~ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.

^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.

^o Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sub>2</sub> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.

† Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.



Interior Cloth seat trim.



Interior Leather accented seat trim<sup>‡</sup>  
(Optional on ST-X).

# Gross Combined Mass with braked trailer.

^ iPod is a registered trade mark of Apple Inc.

‡ Leather accented features and upholstery may contain synthetic material.

\*\* New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.co.nz for more details.

†† Terms and conditions apply, please visit nissan.co.nz/roadsideassistance.



our comprehensive ownership experience



FINANCIAL SERVICES

For more information please visit [nissan.co.nz](http://nissan.co.nz) or visit your nearest Nissan Dealer.

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. Nissan Motor Co (New Zealand) Pty. Ltd. may at its discretion at anytime and without prior notice discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability.  
Printed February 2018. NAV0951



Follow us  
@nissan\_nz



Like us  
Nissan



Check out  
NZNissan



Innovation  
that excites

# NISSAN NAVARA 450

## DOUBLE CAB SPECIFICATIONS

### Specifications

	Double Cab ST-X 450 Pick Up 4x2	Double Cab ST-X 450 Pick Up 4x4
<b>Engine</b>		
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC	•	•
Displacement (cc)	2298	2298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	140@3750	140@3750
Maximum torque (Nm@rpm)	450@1500-2500	450@1500-2500
Common rail direct injection	•	•
<b>Transmission</b>		
6-speed manual	•	•
7-speed automatic with manual mode	Opt	Opt
Transfer case - Dual range 4x4 with electronic 4WD selection		•
Ratio 1st (manual/automatic)	4.685/4.886	4.685/4.886
Ratio 2nd (manual/automatic)	2.478/3.169	2.478/3.169
Ratio 3rd (manual/automatic)	1.623/2.027	1.623/2.027
Ratio 4th (manual/automatic)	1.207/1.411	1.207/1.411
Ratio 5th (manual/automatic)	1.000/1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808/0.864	0.808/0.864
Ratio 7th (automatic)	0.774	0.774
Ratio Reverse (manual/automatic)	4.709/4.041	4.709/4.041
Final drive (manual/automatic)	3.692/3.357	3.692/3.357
Transfer ratio - low		2.717
Transfer ratio - high		1.000
<b>Dimensions</b>		
Overall length (mm)	5255	5255
Overall width (excluding mirrors) (mm)	1850	1850
Overall height (mm)	1845	1855
Wheelbase (mm)	3150	3150
Track front/rear (mm)	1570/1570	1570/1570
Min. turning circle (kerb to kerb) (m)	12.4	12.4
Ground clearance unladen (mm)	228	228
Overhang - front	870	870
Overhang - rear	1235	1235
Approach angle (degrees)	32.3	33.2
Departure angle (degrees)	27.5	28.2
Ramp breakover angle (degrees)	23.6	24.7
Cargo Bed - length floor (mm)	1503	1503
Cargo Bed - length top (mm)	1465	1465
Cargo Bed - width floor (mm)	1560	1560
Cargo Bed - width top (mm)	1490	1490
Cargo Bed - width between wheel arches (mm)	1130	1130
Cargo Bed - tailgate opening width (mm)	1360	1360
Cargo Bed - height (mm)	474	474
<b>Weights</b>		
Gross Vehicle Mass (GVM**) (kg)	2910	2910
Gross Combined Mass (GCM*) (kg)	5910	5910
Kerb mass <sup>3</sup> manual/automatic (kg)		
+6kg with leather accented <sup>4</sup> seat option pack on ST-X	1891/1898	1973/1979
+11kg with sunroof option pack on ST-X 4x4		
Payload <sup>4</sup> manual/automatic (kg)		
-6kg with leather accented <sup>4</sup> seat option pack on ST-X	1019/1012	937/931
-11kg with sunroof option pack on ST-X 4x4		
Gross front axle (kg)	1320	1320
Gross rear axle (kg)	1700	1700
<b>Towing Capacity<sup>5</sup></b>		
Trailer without brakes (kg)	750	750
Trailer with brakes (kg)	3500	3500
Towball download (kg)	See table	See table



Innovation  
that excites

# NISSAN NAVARA 450 DOUBLE CAB SPECIFICATIONS

## Specifications

	Double Cab ST-X 450 Pick Up 4x2	Double Cab ST-X 450 Pick Up 4x4
<b>Fuel</b>		
Recommended fuel type (minimum)	Diesel	Diesel
Fuel tank capacity (litres)	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km)*	6.3/6.8	6.5/7.0
CO <sub>2</sub> emissions (manual/automatic) (g/km)**	166/179	172/186
<b>Mechanical</b>		
Front brakes - ventilated discs	•	•
Rear brakes - drum	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•
Rear suspension - 5-link with shock absorber	•	•
Power steering	•	•
<b>Wheels/Tyres</b>		
18" Black alloy wheels with 255/60R18 tyres	•	•
Full-size spare wheel (alloy)	•	•
<b>Interior</b>		
Seating capacity	5	5
8-way driver seat with power slide/recline/height adjustment & power lumbar support	•	•
Heated front seats	•	•
Part leather*/cloth seats with orange stitching	•	•
4-way front passenger seat with manual slide & recline	•	•
Front headrests with up/down adjustment	•	•
Second row headrests (2)	•	•
Flip up rear seats	•	•
AM/FM radio, AUX & USB/iPod <sup>4</sup> connectivity	•	•
8" Colour Touchscreen with Apple CarPlay <sup>®</sup> and Android Auto <sup>®</sup>	•	•
Steering wheel audio controls	•	•
Satellite Navigation with 3D Mapping and 8" integrated colour display with touch screen	•	•
Speakers	6	6
Bluetooth <sup>®</sup> handsfree phone system via steering wheel controls	•	•
Bluetooth <sup>®</sup> audio streaming	•	•
Cruise control	•	•
Manual tilt adjustable steering column	•	•
Air-conditioning with dual zone climate control	•	•
Rear air vents in centre console	•	•
Intelligent Key <sup>™</sup> with remote keyless entry	•	•
Push button engine start	•	•
Leather accented <sup>‡</sup> steering wheel	•	•
Chrome interior door handles	•	•
Front passenger assist grips (2)	•	•
Second row passenger assist grips (2)	•	•
Centre console storage	•	•
Glove compartment	•	•
Dashboard upper storage tray	•	•
Front door storage pockets	•	•
Rear door storage pockets	•	•
Front row cup holders (4) & bottle holders (2)	•	•
Second row bottle holders (2)	•	•
Driver and front passenger seat back pockets	•	•
Driver & front passenger sun visors with illuminated vanity mirrors	•	•
Sunglasses holder (overhead console)	•	•
Power windows with driver auto up/down button	•	•
Day/night rear view mirror with electric anti-dazzle & compass	•	•
Front map lights (2)	•	•
Interior room light	•	•
Door operated interior lights	•	•
Illuminated ignition switch	•	•
Rear window demister	•	•
12 volt power socket (3)	•	•
Floor carpet - front and rear	•	•



Innovation  
that excites

# NISSAN NAVARA 450 DOUBLE CAB SPECIFICATIONS

## Specifications

	Double Cab ST-X 450 Pick Up 4x2	Double Cab ST-X 450 Pick Up 4x4
<b>Instrumentation</b>		
Speedometer, tachometer, odometer, trip meter	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)	•	•
Digital clock	•	•
Ambient temperature display	•	•
<b>Safety/Security</b>		
Reversing camera - in audio display	•	•
Around View® Monitor	•	•
Reversing sensors	•	•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•
Traction Control System (TCS)	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•
Active Brake Limited Slip (ABLS)	•	•
Brake Assist (BA)	•	•
Hill Start Assist (HSA)	•	•
Hill Descent Control (HDC)	•	•
Electronic rear differential lock	•	•
Driver & front passenger front-impact SRS airbags	•	•
Driver & front passenger side-impact SRS airbags	•	•
Driver knee airbag	•	•
Front to rear SRS curtain airbags	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•
Driver & front passenger seatbelt height adjustment	•	•
Driver & front passenger seatbelt warning	•	•
Second row seatbelt alert	•	•
Second row child anchorage points (3)	•	•
ISOFIX (second row RH/LH)	•	•
LED signature daytime running lights	•	•
Automatic on/off headlights - twilight detection	•	•
LED high mounted stop light	•	•
Collapsible steering column	•	•
Child safety rear door locks	•	•
Door side intrusion bars	•	•
Front variable intermittent windscreen wipers	•	•
Door ajar warning light (all doors)	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•
Vehicle Security System (VSS) alarm	•	•
<b>Exterior</b>		
Privacy glass (second row & rear window)	•	•
LED projector headlights	•	•
Front fog lights	•	•
2 channel Utili-Track™ system	•	•
12V outlet inside bed	•	•
Black side steps	•	•
Black Roof rails	•	•
Antenna	•	•
Black door mirrors	•	•
Heated door mirrors with power adjustment/folding & integrated LED indicator lights	•	•
Front bumper body colour	•	•
Black rear bumper with step	•	•
Black door handles	•	•
V-Motion front grille	•	•
Rear power sliding window	•	•
Rear spoiler with protective finisher	•	•
Front and rear mudflaps	•	•
Front towing hook	•	•
Electromagnetic lockable fuel lid	•	•
Manual lockable rear tailgate (key)	•	•





Innovation that excites

# NISSAN NAVARA 450

## DOUBLE CAB SPECIFICATIONS

### Specifications

	Double Cab ST-X 450 Pick Up 4x2	Double Cab ST-X 450 Pick Up 4x4
<b>Colours</b>		
White Diamond (QX1)	•	•
Panther Black (G42)	•	•
Granite (K21)	•	•
<b>myNissan Ownership</b>		
3 year/100,000 kms Warranty**	•	•
3 year 24-Hour Roadside Assistance Program **	•	•
<input type="checkbox"/> Opt <input type="checkbox"/> Optional <input type="checkbox"/> Not available <input checked="" type="checkbox"/> Standard		

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.



Leather/Cloth seat trim.

\*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.  
 - Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.  
 Δ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.  
 ° Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sub>2</sub> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.  
 † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.

# Gross Combined Mass with braked trailer.  
 ^ iPod is a registered trade mark of Apple Inc.  
 ‡ Leather accented features and upholstery may contain synthetic material.  
 \*\* New Vehicle Warranty expires 36 months from date of first registration or after 100,000km (whichever comes first). Conditions apply. See nissan.co.nz for more details.  
 †† Terms and conditions apply, please visit nissan.co.nz/roadsideassistance.

**my nissan**  
 our comprehensive ownership experience



**FINANCIAL SERVICES**

All illustrations, information and specifications presented and referred to in this brochure were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. Nissan New Zealand Ltd. may at its discretion at any time and without prior notice discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability or visit our website [www.nissan.co.nz](http://www.nissan.co.nz).  
 Printed July 2019.

